

TABULASI DATA ISIAN RESPONDEN

No resp.	X1					X2				X3				X4				X5				Y		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	TPA1	TPA2	TPA3
1	4	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
2	4	5	4	5	5	5	5	4	5	5	5	4	5	3	4	5	3	4	5	5	3	5	5	4
3	4	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
4	3	4	4	4	4	4	4	4	3	4	3	4	4	4	4	3	4	3	4	3	4	4	4	4
5	4	4	5	5	4	4	4	5	4	4	5	5	4	5	3	4	5	5	5	4	5	4	5	5
6	4	5	5	4	5	5	5	5	4	5	5	5	5	4	5	5	4	5	4	5	4	5	4	5
7	3	3	4	2	3	4	3	4	4	4	3	4	3	4	2	4	4	4	4	4	4	3	2	4
8	3	3	5	2	3	4	3	5	4	4	3	5	3	3	2	4	4	5	4	4	4	3	2	5
9	4	3	5	2	3	4	3	5	5	4	4	5	3	3	5	5	4	5	4	4	4	3	2	5
10	4	5	5	5	5	5	5	5	4	5	4	5	5	4	5	4	5	5	5	5	5	5	5	5
11	4	3	4	3	3	4	3	4	4	4	4	4	3	3	5	5	4	4	4	4	4	3	3	4
12	4	4	5	5	4	5	4	5	3	5	4	5	4	4	4	5	5	5	4	5	5	4	5	5
13	4	5	5	5	5	5	5	5	5	5	5	5	5	4	5	4	5	5	3	5	5	5	5	5
14	5	4	5	5	4	4	4	5	4	4	5	5	4	5	5	5	4	5	5	4	4	4	5	5
15	3	4	5	3	4	5	4	5	5	5	4	5	4	4	5	4	4	5	4	5	4	4	3	5
16	4	4	4	4	4	4	4	4	5	4	4	4	4	4	5	5	4	4	5	4	4	4	4	4

No resp.	X1					X2				X3					X4				X5				Y		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	TPA1	TPA2	TPA3	
17	4	5	5	5	5	5	5	5	5	5	5	5	5	5	4	5	5	5	5	5	5	5	5	5	
18	5	5	5	5	5	5	5	5	4	5	5	5	5	4	5	5	3	5	4	4	3	5	5	5	
19	4	3	5	5	3	4	3	5	3	4	3	5	3	4	5	4	3	5	3	4	3	3	5	5	
20	4	3	4	3	3	4	3	4	4	4	3	4	3	3	5	4	4	4	4	4	4	3	4	4	
21	3	3	5	2	3	4	3	5	3	4	3	5	3	3	4	4	3	5	3	4	3	3	2	5	
22	4	3	4	2	3	4	3	4	4	4	3	4	3	3	5	4	4	4	4	4	4	3	2	4	
23	3	4	4	3	4	4	4	4	3	4	5	4	4	4	4	5	3	4	3	4	3	4	3	4	
24	4	3	5	4	3	4	3	5	5	4	3	5	3	4	4	5	4	5	5	5	4	3	4	5	
25	3	3	4	2	3	5	3	4	4	5	3	4	3	4	2	4	4	4	4	3	4	3	2	5	
26	4	4	4	4	4	3	4	4	4	3	4	4	4	3	4	4	3	4	4	4	3	4	4	4	
27	4	3	4	2	3	4	3	4	4	4	3	4	3	3	2	4	4	4	4	5	4	3	2	5	
28	3	3	5	3	3	4	3	5	3	4	3	5	3	3	3	3	4	5	3	4	4	3	3	4	
29	4	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
30	4	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	4	5	5	5	5	

LAMPIRAN 3

HASIL UJI VALIDITAS DAN RELIABILITAS

Case Processing Summary

		N	%
	Valid	30	100.0
Cases	Excluded ^a	0	.0
	Total	30	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.953	24

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item- Total Correlation	Cronbach's Alpha if Item Deleted
pert1	96.6667	159.057	.521	.953
pert2	96.5333	147.085	.891	.949
pert3	95.8333	159.316	.569	.953
pert4	96.6667	140.782	.823	.950
pert5	96.5333	147.085	.891	.949
pert6	96.0667	156.340	.706	.951
pert7	96.5333	147.085	.891	.949
pert8	95.8333	159.316	.569	.953
pert9	96.3000	156.562	.508	.953
pert10	96.0667	156.340	.706	.951
pert11	96.4667	147.775	.814	.950
pert12	95.8333	159.316	.569	.953
pert13	96.5333	147.085	.891	.949
pert14	96.5667	152.530	.720	.951
pert15	96.2667	152.823	.481	.955
pert16	96.0000	158.552	.537	.953
pert17	96.4000	155.628	.565	.953
pert18	95.8333	159.316	.569	.953
pert19	96.3000	155.666	.557	.953
pert20	96.1000	158.024	.591	.952
pert21	96.4000	155.628	.565	.953
KPT1	96.5333	147.085	.891	.949
KPT2	96.6667	140.782	.823	.950
KPT3	95.8000	160.441	.488	.953

LAMPIRAN 4

HASIL FREKUENSI JAWABAN RESPONDEN

pert1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	8	26.7	26.7	26.7
4	20	66.7	66.7	93.3
5	2	6.7	6.7	100.0
Total	30	100.0	100.0	

pert2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	12	40.0	40.0	40.0
4	8	26.7	26.7	66.7
5	10	33.3	33.3	100.0
Total	30	100.0	100.0	

pert3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 4	11	36.7	36.7	36.7
5	19	63.3	63.3	100.0
Total	30	100.0	100.0	

pert4

	Frequency	Percent	Valid Percent	Cumulative Percent
2	7	23.3	23.3	23.3
3	5	16.7	16.7	40.0
Valid 4	5	16.7	16.7	56.7
5	13	43.3	43.3	100.0
Total	30	100.0	100.0	

pert5

	Frequency	Percent	Valid Percent	Cumulative Percent
3	12	40.0	40.0	40.0
Valid 4	8	26.7	26.7	66.7
5	10	33.3	33.3	100.0
Total	30	100.0	100.0	

pert6

	Frequency	Percent	Valid Percent	Cumulative Percent
3	1	3.3	3.3	3.3
Valid 4	16	53.3	53.3	56.7
5	13	43.3	43.3	100.0
Total	30	100.0	100.0	

pert7

	Frequency	Percent	Valid Percent	Cumulative Percent
3	12	40.0	40.0	40.0
Valid 4	8	26.7	26.7	66.7
5	10	33.3	33.3	100.0
Total	30	100.0	100.0	

pert8

	Frequency	Percent	Valid Percent	Cumulative Percent
4	11	36.7	36.7	36.7
Valid 5	19	63.3	63.3	100.0
Total	30	100.0	100.0	

pert9

	Frequency	Percent	Valid Percent	Cumulative Percent
3	6	20.0	20.0	20.0
Valid 4	13	43.3	43.3	63.3
5	11	36.7	36.7	100.0
Total	30	100.0	100.0	

pert10

	Frequency	Percent	Valid Percent	Cumulative Percent
3	1	3.3	3.3	3.3
Valid 4	16	53.3	53.3	56.7
5	13	43.3	43.3	100.0
Total	30	100.0	100.0	

pert11

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	12	40.0	40.0	40.0
4	6	20.0	20.0	60.0
5	12	40.0	40.0	100.0
Total	30	100.0	100.0	

pert12

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 4	11	36.7	36.7	36.7
5	19	63.3	63.3	100.0
Total	30	100.0	100.0	

pert13

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	12	40.0	40.0	40.0
4	8	26.7	26.7	66.7
5	10	33.3	33.3	100.0
Total	30	100.0	100.0	

pert14

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	10	33.3	33.3	33.3
4	13	43.3	43.3	76.7
5	7	23.3	23.3	100.0
Total	30	100.0	100.0	

pert15

	Frequency	Percent	Valid Percent	Cumulative Percent
2	4	13.3	13.3	13.3
3	2	6.7	6.7	20.0
Valid 4	8	26.7	26.7	46.7
5	16	53.3	53.3	100.0
Total	30	100.0	100.0	

pert16

	Frequency	Percent	Valid Percent	Cumulative Percent
3	1	3.3	3.3	3.3
Valid 4	14	46.7	46.7	50.0
5	15	50.0	50.0	100.0
Total	30	100.0	100.0	

pert17

	Frequency	Percent	Valid Percent	Cumulative Percent
3	7	23.3	23.3	23.3
Valid 4	14	46.7	46.7	70.0
5	9	30.0	30.0	100.0
Total	30	100.0	100.0	

pert18

	Frequency	Percent	Valid Percent	Cumulative Percent
4	11	36.7	36.7	36.7
Valid 5	19	63.3	63.3	100.0
Total	30	100.0	100.0	

pert19

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	6	20.0	20.0	20.0
4	13	43.3	43.3	63.3
5	11	36.7	36.7	100.0
Total	30	100.0	100.0	

pert20

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	1	3.3	3.3	3.3
4	17	56.7	56.7	60.0
5	12	40.0	40.0	100.0
Total	30	100.0	100.0	

pert21

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	7	23.3	23.3	23.3
4	14	46.7	46.7	70.0
5	9	30.0	30.0	100.0
Total	30	100.0	100.0	

KPT1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	12	40.0	40.0	40.0
4	8	26.7	26.7	66.7
5	10	33.3	33.3	100.0
Total	30	100.0	100.0	


KPT2

	Frequency	Percent	Valid Percent	Cumulative Percent
2	7	23.3	23.3	23.3
3	5	16.7	16.7	40.0
Valid 4	5	16.7	16.7	56.7
5	13	43.3	43.3	100.0
Total	30	100.0	100.0	


KPT3

	Frequency	Percent	Valid Percent	Cumulative Percent
4	10	33.3	33.3	33.3
Valid 5	20	66.7	66.7	100.0
Total	30	100.0	100.0	

Charts



Normal P-P Plot of Regression Standardized Residual



LAMPIRAN 5

HASIL UJI ASUMSI KLASIK

A. Uji Multikolinieritas

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X5, X1, X4, X2, X3 ^b		Enter

a. Dependent Variable: Y


b. All requested variables entered.

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics		
	B	Std. Error	Beta			Tolerance	VIF	
1	(Constant)	-.953	.714		-1.335	.194		
	X1	.610	.060	.937	10.196	.000	.132	7.577
	X2	-.028	.117	-.026	-.240	.812	.195	9.569
	X3	.067	.119	.072	.565	.578	.168	8.639
	X4	-.048	.060	-.048	-.806	.428	.309	3.233
	X5	.072	.071	.062	1.015	.320	.302	3.316

a. Dependent Variable: Y

B. Uji Heterokedastisitas



C. Uji Normalitas data

One-Sample Kolmogorov-Smirnov Test

		X1	X2	X3	X4	X5	Y
N		30	30	30	30	30	30
Normal Parameters ^{a,b}	Mean	20.10	17.13	16.97	16.63	17.23	12.4000
	Std. Deviation	3.367	2.030	2.356	2.205	1.888	2.19089
Most Extreme Differences	Absolute	.172	.220	.265	.133	.143	.201
	Positive	.155	.220	.265	.117	.143	.197
	Negative	-.172	-.188	-.168	-.133	-.125	-.201
Kolmogorov-Smirnov Z		.943	1.205	1.450	.727	.784	1.099
Asymp. Sig. (2-tailed)		.336	.109	.030	.666	.570	.178

a. Test distribution is Normal.

b. Calculated from data.

LAMPIRAN 6

HASIL REGRESI

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	X5, X1, X4, X2, X3 ^b	.	Enter

- a. Dependent Variable: Y
 b. All requested variables entered

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics				
					R Square Change	F Change	df1	df2	Sig. F Change
1	.987 ^a	.973	.968	.394	.973	174.461	5	24	.000

- a. Predictors: (Constant), X5, X1, X4, X2, X3
 b. Dependent Variable: Y

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	135.473	5	27.095	174.461	.000 ^b
	Residual	3.727	24	.155		
	Total	139.200	29			

- a. Dependent Variable: Y
 b. Predictors: (Constant), X5, X1, X4, X2, X3

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.		
	B	Std. Error	Beta				
1	(Constant)	-.953	.714		-1.335	.194	
	X1	.610	.060		.937	10.196	.000
	X2	-.028	.117		-.026	-.240	.812
	X3	.067	.119		.072	.565	.578
	X4	-.048	.060		-.048	-.806	.428
	X5	.072	.071		.062	1.015	.320

a. Dependent Variable: Y

DATA ANALISIS REGRESI

NO	X1	X2	X3	X4	X5	Y
1	24	20	20	20	20	15
2	23	19	19	15	17	14
3	24	20	20	20	20	15
4	19	15	15	15	14	12
5	22	17	18	17	19	14
6	23	19	20	18	18	14
7	15	15	14	14	16	9
8	16	16	15	13	17	10
9	17	17	15	17	17	10
10	24	19	19	18	20	15
11	17	15	15	17	16	10
12	22	17	18	18	19	14
13	24	20	20	18	18	15
14	23	17	18	19	18	14
15	19	19	18	17	18	12
16	20	17	16	18	17	12
17	24	20	20	19	20	15
18	25	19	20	17	16	15
19	20	15	15	16	15	13
20	17	15	14	16	16	10
21	16	15	15	14	15	10
22	16	15	14	16	16	9
23	18	15	17	16	14	11
24	19	17	15	17	19	12
25	15	16	15	14	15	10
26	20	15	15	14	15	12
27	16	15	14	13	17	10
28	17	15	15	13	16	10
29	24	20	20	20	20	15
30	24	20	20	20	19	15

Lampiran 7

NILAI-NILAI r PRODUCT MOMENT

N	Taraf Signif		N	Taraf Signif		N	Taraf Signif	
	5%	1%		5%	1%		5%	1%
3	0.997	0.999	27	0.381	0.487	55	0.266	0.345
4	0.950	0.990	28	0.374	0.478	60	0.254	0.330
5	0.878	0.959	29	0.367	0.470	65	0.244	0.317
6	0.811	0.917	30	0.361	0.463	70	0.235	0.306
7	0.754	0.874	31	0.355	0.456	75	0.227	0.296
8	0.707	0.834	32	0.349	0.449	80	0.220	0.286
9	0.666	0.798	33	0.344	0.442	85	0.213	0.278
10	0.632	0.765	34	0.339	0.436	90	0.207	0.270
11	0.602	0.735	35	0.334	0.430	95	0.202	0.263
12	0.576	0.708	36	0.329	0.424	100	0.195	0.256
13	0.553	0.684	37	0.325	0.418	125	0.176	0.230
14	0.532	0.661	38	0.320	0.413	150	0.159	0.210
15	0.514	0.641	39	0.316	0.408	175	0.148	0.194
16	0.497	0.623	40	0.312	0.403	200	0.138	0.181
17	0.482	0.606	41	0.308	0.398	300	0.113	0.148
18	0.468	0.590	42	0.304	0.393	400	0.098	0.128
19	0.456	0.575	43	0.301	0.389	500	0.088	0.115
20	0.444	0.561	44	0.297	0.384	600	0.080	0.105
21	0.433	0.549	45	0.294	0.380	700	0.074	0.097
22	0.423	0.537	46	0.291	0.376	800	0.070	0.091
23	0.413	0.526	47	0.288	0.372	900	0.065	0.086
24	0.404	0.515	48	0.284	0.368	1000	0.062	0.081
25	0.396	0.505	49	0.281	0.364			
26	0.388	0.496	50	0.279	0.361			

Sumber: Djalal, 2002:343

Lampiran 8

Nilai kritis distribusi t (Gujarati, 2006:187)

df	0.10	0.05	0.025	0.01
2	2.9200	4.3027	6.2054	9.9250
3	2.3534	3.1824	4.1765	5.8408
4	2.1318	2.7765	3.4954	4.6041
5	2.0150	2.5706	3.1634	4.0321
6	1.9432	2.4469	2.9687	3.7074
7	1.8946	2.3646	2.8412	3.4995
8	1.8595	2.3060	2.7515	3.3554
9	1.8331	2.2622	2.6850	3.2498
10	1.8125	2.2281	2.6338	3.1693
11	1.7959	2.2010	2.5931	3.1058
12	1.7823	2.1788	2.5600	3.0545
13	1.7709	2.1604	2.5326	3.0123
14	1.7613	2.1448	2.5096	2.9768
15	1.7531	2.1315	2.4899	2.9467
16	1.7459	2.1199	2.4729	2.9208
17	1.7396	2.1098	2.4581	2.8982
18	1.7341	2.1009	2.4450	2.8784
19	1.7291	2.0930	2.4334	2.8609
20	1.7247	2.0860	2.4231	2.8453
21	1.7207	2.0796	2.4138	2.8314
22	1.7171	2.0739	2.4055	2.8188
23	1.7139	2.0687	2.3979	2.8073
24	1.7109	2.0639	2.3910	2.7970
25	1.7081	2.0595	2.3846	2.7874
26	1.7056	2.0555	2.3788	2.7787
27	1.7033	2.0518	2.3734	2.7707
28	1.7011	2.0484	2.3685	2.7633
29	1.6991	2.0452	2.3638	2.7564
30	1.6973	2.0423	2.3596	2.7500
31	1.6955	2.0395	2.3556	2.7440
32	1.6939	2.0369	2.3518	2.7385
33	1.6924	2.0345	2.3483	2.7333
34	1.6909	2.0322	2.3451	2.7284
35	1.6896	2.0301	2.3420	2.7238
36	1.6883	2.0281	2.3391	2.7195
37	1.6871	2.0262	2.3363	2.7154
38	1.6860	2.0244	2.3337	2.7116
39	1.6849	2.0227	2.3313	2.7079
40	1.6839	2.0211	2.3289	2.7045
41	1.6829	2.0195	2.3267	2.7012

42	1.6820	2.0181	2.3246	2.6981
43	1.6811	2.0167	2.3226	2.6951
44	1.6802	2.0154	2.3207	2.6923
45	1.6794	2.0141	2.3189	2.6896
46	1.6787	2.0129	2.3172	2.6870
47	1.6779	2.0117	2.3155	2.6846
48	1.6772	2.0106	2.3139	2.6822
49	1.6766	2.0096	2.3124	2.6800
50	1.6759	2.0086	2.3109	2.6778
51	1.6753	2.0076	2.3095	2.6757
52	1.6747	2.0066	2.3082	2.6737
53	1.6741	2.0057	2.3069	2.6718
54	1.6736	2.0049	2.3056	2.6700
55	1.6730	2.0040	2.3044	2.6682
56	1.6725	2.0032	2.3033	2.6665
57	1.6720	2.0025	2.3022	2.6649
58	1.6716	2.0017	2.3011	2.6633
59	1.6711	2.0010	2.3000	2.6618
60	1.6706	2.0003	2.2990	2.6603
61	1.6702	1.9996	2.2981	2.6589
62	1.6698	1.9990	2.2971	2.6575
63	1.6694	1.9983	2.2962	2.6561
64	1.6690	1.9977	2.2954	2.6549
65	1.6686	1.9971	2.2945	2.6536
66	1.6683	1.9966	2.2937	2.6524
67	1.6679	1.9960	2.2929	2.6512
68	1.6676	1.9955	2.2921	2.6501
69	1.6672	1.9949	2.2914	2.6490
70	1.6669	1.9944	2.2906	2.6479
71	1.6666	1.9939	2.2899	2.6469
72	1.6663	1.9935	2.2892	2.6458
73	1.6660	1.9930	2.2886	2.6449
74	1.6657	1.9925	2.2879	2.6439
75	1.6654	1.9921	2.2873	2.6430
76	1.6652	1.9917	2.2867	2.6421
77	1.6649	1.9913	2.2861	2.6412
78	1.6646	1.9908	2.2855	2.6403
79	1.6644	1.9905	2.2849	2.6395
80	1.6641	1.9901	2.2844	2.6387
81	1.6639	1.9897	2.2838	2.6379
82	1.6636	1.9893	2.2833	2.6371
83	1.6634	1.9890	2.2828	2.6364
84	1.6632	1.9886	2.2823	2.6356
85	1.6630	1.9883	2.2818	2.6349
86	1.6628	1.9879	2.2813	2.6342
87	1.6626	1.9876	2.2809	2.6335

88	1.6624	1.9873	2.2804	2.6329
89	1.6622	1.9870	2.2800	2.6322
90	1.6620	1.9867	2.2795	2.6316
91	1.6618	1.9864	2.2791	2.6309
92	1.6616	1.9861	2.2787	2.6303
93	1.6614	1.9858	2.2783	2.6297
94	1.6612	1.9855	2.2779	2.6291
95	1.6611	1.9852	2.2775	2.6286
96	1.6609	1.9850	2.2771	2.6280
97	1.6607	1.9847	2.2767	2.6275
98	1.6606	1.9845	2.2764	2.6269
99	1.6604	1.9842	2.2760	2.6264
100	1.6602	1.9840	2.2757	2.6259

Lampiran 9

Critical Values of the F-Distribution: $\alpha = 0.05$

df	Numerator Degrees of Freedom				
	1	2	3	4	5
1	161.448	199.500	215.707	224.583	230.162
2	18.513	19.000	19.164	19.247	19.296
3	10.128	9.552	9.277	9.117	9.013
4	7.709	6.944	6.591	6.388	6.256
5	6.608	5.786	5.409	5.192	5.050
6	5.987	5.143	4.757	4.534	4.387
7	5.591	4.737	4.347	4.120	3.972
8	5.318	4.459	4.066	3.838	3.687
9	5.117	4.256	3.863	3.633	3.482
10	4.965	4.103	3.863	3.478	3.326
11	4.844	3.982	3.587	3.357	3.204
12	4.747	3.885	3.490	3.259	3.106
13	4.667	3.806	3.411	3.179	3.025
14	4.600	3.739	3.344	3.112	2.958
15	4.543	3.682	3.287	3.056	2.901
16	4.494	3.634	3.239	3.0072	2.852
17	4.451	3.592	3.197	2.965	2.810
18	4.414	3.555	3.160	2.928	2.773
19	4.381	3.522	3.127	2.895	2.740
20	4.351	3.493	3.098	2.866	2.711
21	4.325	3.467	3.072	2.840	2.685
22	4.301	3.443	3.049	2.817	2.661
23	4.279	3.422	3.028	2.796	2.640
24	4.260	3.403	3.009	2.776	2.621
25	4.242	3.385	2.991	2.759	2.603
26	4.225	3.369	2.975	2.743	2.587
27	4.210	3.354	2.975	2.728	2.572
28	4.196	3.340	2.975	2.714	2.558
29	4.183	3.328	2.934	2.701	2.545
30	4.171	3.316	2.922	2.690	2.534
31	4.160	3.305	2.911	2.679	2.523
32	4.149	3.295	2.901	2.668	2.512
33	4.139	3.285	2.892	2.659	2.503
34	4.130	3.276	2.883	2.650	2.494
35	4.121	3.267	2.874	2.641	2.485

Sumber : Gujarati, 2006:188